ELSEVIER

Analytica Chimica Acta 548 (2005) 211–212

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

Author index

Aboul-Enein, H.Y., see Ghanem, A. 26
Ai, S., see Li, J. 199
Apostoluk, W.
— and Robak, W.
Analysis of liquid–liquid distribution constants of organophospohorus based extractants 116

Bathaie, S.Z., see Riahi, S. 192
Bermejo-Barrera, A., see Peña-Farfal, C. 183
Bermejo-Barrera, P., see Peña-Farfal, C. 183
Bosch, E., see Fuguet, E. 95
Burn, R.T., see Nordon, A. 148

Carrington, N.A., see Rodman, D.L. 143
Chai, Y., see Zhuo, Y. 205
Chen, J.-L.
— and Liu, C.-Y.
Thermodynamic characterization of a metallomesogenic stationary phase in gas chromatography 73
Curtius, A.J., see Santos, E.J.d. 166
Cusick, F.M., see Nordon, A. 148

Daishima, S., see Nakamura, S. 79
de Gregori-Henríquez, I., see Peña-Farfal, C. 183
Derakhshan, M., see Ihara, H. 51
Dong, W., see Ihara, H. 51
Dong, C., see Li, J. 134

Elci, L., see Tuzen, M. 101

Frescura, V.L.A., see Santos, E.J.d. 166
Frishman, G., see Kendler, S. 58
Fuguet, E.
—, Ràfols, C., Rosés, M. and Bosch, E.
Critical micelle concentration of surfactants in aqueous buffered and unbuffered systems 95
Fukui, M., see Ihara, H. 51

Gallego, M., see Muñoz, J. 66
Gao, X., see Shi, X. 86
Ghanem, A.
— and Aboul-Enein, H.Y.
On the solvent versatility in immobilized amylose tris(3,5-dimethylphenylcarbamate) chiral stationary phase in high performance liquid chromatography: Application to the asymmetric cyclopropanation of olefins 26
Goswami, K., see Rodman, D.L. 143
Gratziany, N., see Kendler, S. 58
Greenway, G.M., see Marle, L. 20

Hamada, F., see Toda, M. 1
Herrmann, A.B., see Santos, E.J.d. 166
Hu, J., see Shao, B. 41

Ihara, H.
—, Fukui, M., Mimaki, T., Shundo, A., Dong, W., Derakhshan, M., Sakurai, T., Takafuji, M. and Nagaoka, S.
Poly(4-vinylpyridine) as a reagent with silanol-masking effect for silica and its specific selectivity for PAHs and dinitropyrenes in a reversed phase 51
Itoh, H., see Toda, M. 1

Jin, L., see Li, J. 199

Kendler, S.
—, Zifman, A., Gratziany, N., Zaltsman, A. and Frishman, G.
A new method and apparatus for on-site detection of trace levels of chemical warfare agents 58
Kubota, L.T., see Tarley, C.R.T. 11

Li, J., see Li, J. 134
Li, J.
—, Li, J., Shuang, S. and Dong, C.
Study of the luminescence behavior of seven quinolones on a paper substrate 134
Li, J.
—, Li, L., Zheng, L., Xian, Y., Ai, S. and Jin, L.
Amperometric determination of chemical oxygen demand with flow injection analysis using F-PbO_2 modified electrode 199
Li, L., see Li, J. 199
Li, X.l., see Zhuo, Y. 205
Liang, P., see Shi, X. 86
Littlejohn, D., see Nordon, A. 148
Liu, C.-Y., see Chen, J.-L. 73
Liu, H., see Yang, H. 159

Marle, L.
— and Greenway, G.M.
Determination of hydrogen peroxide in rainwater in a miniaturised analytical system 20
Meng, J., see Shao, B. 41
Mills, A., see Nordon, A. 148
Mimaki, T., see Ihara, H. 51
Moreda-Piñeiro, A., see Peña-Farfal, C. 183
Mousavi, M.F., see Riahi, S. 192
Moutin, T., see Rimmelin, P. 174
Muñoz, J.
—, Gallego, M. and Valcárcel, M.
Speciation analysis of mercury and tin compounds in water and sediments by gas chromatography–mass spectrometry following preconcentration on C_{60} fullerene 66

Nagaoka, S., see Ihara, H. 51

doi:10.1016/S0003-2670(05)01331-0

Nakamura, S.
— and Daishima, S.
Simultaneous determination of 22 volatile organic compounds, methyl-*tert*-butyl ether, 1,4-dioxane, 2-methylisoborneol and geosmin in water by headspace solid phase microextraction-gas chromatography–mass spectrometry 79
Nordon, A.
—, Mills, A., Burn, R.T., Cusick, F.M. and Littlejohn, D.
Comparison of non-invasive NIR and Raman spectrometries for determination of alcohol content of spirits 148

Ogawa, N., see Toda, M. 1

Park, S.-J., see Park, Y.-M. 109
Park, S.-K., see Park, Y.-M. 109
Park, Y.-M.
—, Pyo, H., Park, S.-J. and Park, S.-K.
Development of the analytical method for 1,4-dioxane in water by liquid–liquid extraction 109
Peña-Farfal, C.
—, Moreda-Piñeiro, A., Bermejo-Barrera, A., Bermejo-Barrera, P., Pinochet-Cancino, H. and de Gregori-Henríquez, I.
Speeding up enzymatic hydrolysis procedures for the multi-element determination in edible seaweed 183
Pinochet-Cancino, H., see Peña-Farfal, C. 183
Pyo, H., see Park, Y.-M. 109

Qiu, H., see Rodman, D.L. 143

Ràfols, C., see Fuguet, E. 95
Riahi, S.
—, Mousavi, M.F., Bathaie, S.Z. and Shamsipur, M.
A novel potentiometric sensor for selective determination of theophylline: Theoretical and practical investigations 192
Rimmelin, P.
— and Moutin, T.
Re-examination of the MAGIC method to determine low orthophosphate concentration in seawater 174
Robak, W., see Apostoluk, W. 116
Rodman, D.L.
—, Carrington, N.A., Qiu, H., Goswami, K. and Xue, Z.-L.
Spectroscopic detection of halocarbons using modified Fujiwara reactions 143
Rosés, M., see Fuguet, E. 95

Sakurai, T., see Ihara, H. 51
Santos, E.J.d.
—, Herrmann, A.B., Frescura, V.L.A. and Curtius, A.J.
Evaluation of slurry preparation procedures for the simultaneous determination of Hg and Se in biological samples by axial view ICP OES using on-line chemical vapor generation 166
Shamsipur, M., see Riahi, S. 192
Shao, B.
—, Zhao, R., Meng, J., Xue, Y., Wu, G., Hu, J. and Tu, X.
Simultaneous determination of residual hormonal chemicals in meat, kidney, liver tissues and milk by liquid chromatography–tandem mass spectrometry 41
Shen, G., see Yang, H. 159
Shi, X.
—, Liang, P. and Gao, X.
The capillary gas chromatographic properties of four β-cyclodextrin derivatives with allyl groups or propyl groups on 3-position or 6-position of β-cyclodextrin 86
Shuang, S., see Li, J. 134
Shundo, A., see Ihara, H. 51
Soylak, M., see Tuzen, M. 101

Takafuji, M., see Ihara, H. 51
Tarley, C.R.T.
— and Kubota, L.T.
Molecularly-imprinted solid phase extraction of catechol from aqueous effluents for its selective determination by differential pulse voltammetry 11
Toda, M.
—, Ogawa, N., Itoh, H. and Hamada, F.
Unique molecular recognition property of bis-pyrene-modified β-cyclodextrin dimer in collaboration with γ-cyclodextrin 1
Tsai, P.-L.
— and Tsai, T.-H.
Measurement of unbound pravastatin in rat blood and bile on the perspective of hepatobiliary excretion and its interaction with cyclosporin A and berberine 33
Tsai, T.-H., see Tsai, P.-L. 33
Tu, X., see Shao, B. 41
Tuzen, M.
—, Soylak, M. and Elci, L.
Multi-element pre-concentration of heavy metal ions by solid phase extraction on Chromosorb 108 101

Valcárcel, M., see Muñoz, J. 66

Wang, N., see Zhuo, Y. 205
Wu, G., see Shao, B. 41

Xian, Y., see Li, J. 199
Xue, Y., see Shao, B. 41
Xue, Z.-L., see Rodman, D.L. 143

Yang, H.
—, Yang, Yu., Yang, Y., Liu, H., Zhang, Z., Shen, G. and Yu, R.
Formation of inositol hexaphosphate monolayers at the copper surface from a Na-salt of phytic acid solution studied by in situ surface enhanced Raman scattering spectroscopy, Raman mapping and polarization measurement 159
Yang, Y., see Yang, H. 159
Yang, Yu., see Yang, H. 159
Yu, R., see Yang, H. 159
Yuan, R., see Zhuo, Y. 205

Zaltsman, A., see Kendler, S. 58
Zhang, Z., see Yang, H. 159
Zhang, Y., see Zhuo, Y. 205
Zhao, R., see Shao, B. 41
Zheng, L., see Li, J. 199
Zhu, Q., see Zhuo, Y. 205
Zhuo, Y.
—, Yuan, R., Chai, Y., Zhang, Y., Li, X.l., Zhu, Q. and Wang, N.
An amperometric immunosensor based on immobilization of hepatitis B surface antibody on gold electrode modified gold nanoparticles and horseradish peroxidase 205
Zifman, A., see Kendler, S. 58